

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/566,970	02/02/2006	Katsumi Yamaguchi	YCO-0001	9417
	7590 04/11/2007 AAN & CDALIED DI LC	EXAMINER		
RADER FISHMAN & GRAUER PLLC LION BUILDING			VO, HAI	
	REET N.W., SUITE 501		ART UNIT	
WASHINGTON, DC 20036			1771	
•				
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
2 MO	NITUS:	04/11/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

_
5
v

	Application No.	Applicant(s)				
Office Action Summany	10/566,970	YAMAGUCHI ET AL.				
Office Action Summary	Examiner	Art Unit				
· .	Hai Vo	1771				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 02 Fe	ebruary 2006.					
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This						
3) ☐ Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims		,				
<ul> <li>4)  Claim(s) 1-19 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-19 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>02 February 2006</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	e: a)⊠ accepted or b)⊡ objecte drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)         Paper No(s)/Mail Date <u>02/02/06</u>.     </li> </ol>	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

Application/Control Number: 10/566,970

Art Unit: 1771

Page 2

## Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is not clear whether the pores of the "pore portions" are the same as the pores of the foam sheet. It is confusing as to how the pore portions reach the open cell layer as the foam pores are part of the pore portions. Clarification is required.

## Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

#### Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 5, 11, 18 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Bopp et al (US 5,145,877). Note that claim 1 does not differentiate the foam

pores from pore portions. Bopp discloses a foam sheet made from 35 to 80 wt% polyphenylene oxide and 65 to 20 wt% recycled polystyrene material (abstract, column 4, lines 49-53). The foam sheet has an open cell content of 51.5% (table II). This indicates that the open cells are randomly distributed over the entire surface of the foam sheet. Likewise, some of the open cells will be present at the surface of the foam sheet.

The preamble "a car interior member" has not given patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and the portion of the claim following the preamble is a self-contained description of the structure not depending for completeness upon the introductory clause. *Kropa v. Robie*, 88 USPQ 478 (CCPA 1951). Accordingly, Bopp anticipates the claimed subject matter.

6. Claims 1, 2, 4-7, and 17-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Vonken et al (US 5,618,853). Vonken teaches a foam sheet made from polyphenylene oxide and a styrene polymer (column 4, lines 9-13). The foam has an open cell ratio of at least 50% (column 4, lines 48-50). The foam sheet has an open cell portion disposed between two closed cell portions (column 5, lines 65-67 to column 6, lines 1-10). Each closed cell portion reads on Applicants' skin material and noise preventing member. The closed cell portions of the foam are partially opened by perforation (column 5, lines 25-30). The preamble "a car interior member" has not given patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and the

portion of the claim following the preamble is a self-contained description of the structure not depending for completeness upon the introductory clause. *Kropa v. Robie*, 88 USPQ 478 (CCPA 1951). Accordingly, Vonken anticipates the claimed subject matter.

7. Claims 8, and 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vonken et al (US 5,618,853) in view of WO 02/22723. Naito et al (US 7,166,348) will be relied on as an equivalent form of WO 02/22723. Vonken does not specifically disclose the thickness of the closed cell surface layer. Naito, however, teaches a heat insulating material comprising a foam material having an inner part with an open cell content of at least 90% and an outer part with a closed cell structure (column 8, lines 40-55). Naito teaches that the thickness of the closed cell layer is about 16% of the thickness of the foam sheet (example 1). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the foam sheet having a thickness of the closed cell skin from 1 to 25% of the thickness of the foam sheet because such is well-known in the art and Naito provides necessary details to practice with the invention of Vonken.

Vonken does not specifically disclose the contents of a phenylene ether component and a styrene component in the foam sheet. Naito teaches a foam sheet made from polystyrene -polyphenylene oxide copolymer (column 3, lines 9-10). The styrene component content is at least about 50% by weight (column 2, lines 55-60). Likewise, the polyphenylene oxide is about 50% by weight or less. The foam further includes a rubber component (column 3, lines 45-46). Therefore, it would have been

obvious to one having ordinary skill in the art at the time the invention was made to use the foam sheet having the phenylene ether component and the styrene component with the contents in the ranges as taught by Naito motivated by the desire to provide the foam having excellent heat resistance.

- 8. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vonken et al (US 5,618,853). Vonken does not specifically disclose the ratio of the total opening area of the perforations to the surface of the foam sheet. However, since the ratio is recognized as a result-effective variable, differences in the ratio will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such is critical or provide unexpected results. Therefore, absent unexpected results, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the ratio of the total opening area of the perforations to the surface of the foam sheet in the range instantly motivated by the desire to provide the foam having high absorptivity for liquids. This is in line with *In re Aller*, 105 USPQ 233 which holds discovering the optimum or workable ranges involves only routine skill in the art.
- 9. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vonken et al (US 5,618,853) as applied to claim 1 above, further in view of Joppen et al (US 6,103,163). Vonken does not specifically disclose the opening end area of the perforations. Joppen, however, teaches the foam being perforated by means of needles with a diameter about 1mm to 2mm (column 7, lines 55-60). Likewise, the perforations are created with the opening end area ranging from 0.8 to 3.14 mm<sup>2</sup>.

Application/Control Number: 10/566,970

Art Unit: 1771

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to form the perforations with the opening end area in the range as taught by Joppen motivated by the desire to provide the foam having high absorptivity for liquids.

Page 6

10. Claims 1, 2, 4-8, 11-13 and 17-19 are rejected under 35 U.S.C. 102(b) as being anticipated by WO 02/22723. Naito et al (US 7,166,348) will be relied on as an equivalent form of WO 02/22723. Naito teaches a foam sheet made from polystyrene -polyphenylene oxide copolymer (column 3, lines 9-10). The styrene component content is at least about 50% by weight (column 2, lines 55-60). Likewise, the polyphenylene oxide is about 50% by weight or less. The foam further includes a rubber component (column 3, lines 45-46). The foam has an open cell ratio of at least 90% (column 8, lines 40-55). The foam sheet has an open cell portion disposed between two closed cell portions. Each closed cell portion reads on Applicants' skin material and noise preventing member. Each closed cell portion also reads on Applicants' modified polyphenylene ether based resin sheet. The closed cell surfaces of the foam are opened by perforation (column 9, lines 1-10). The thickness of the closed cell layer is about 16% of the thickness of the foam sheet (example 1). The preamble "a car interior member" has not given patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and the portion of the claim following the preamble is a self-contained description of the structure not depending for

completeness upon the introductory clause. *Kropa v. Robie*, 88 USPQ 478 (CCPA 1951). Accordingly, Naito anticipates the claimed subject matter.

11. Claims 3, and 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 02/22723 as applied to claim 1 above, further in view of Sugahara et al (US 6,042,765). Naito does not specifically disclose a vacuum heat insulating material comprising a surface layer attached to the surface of the foam layer. Sugahara, however, teaches a vacuum heat insulating material comprising a surface layer attached to the surface of the foam layer wherein the surface layer is made from a non-woven web of glass fibers, polyamide fibers and a thermoplastic resin (abstract, column 8, lines 15-22). Sugahara teaches the surface layer and the foam layer integrated with each other through the thermoplastic resin of the surface layer (column 10, lines 35-42) or an adhesive (column 34, lines 49-52). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the surface layer of a non-woven web laminated to the foam layer motivated by the desire to provide the foam having excellent bending strength.

It appears that the heat insulating material of Naito as modified by Sugahara meets all the structural limitations as set forth in the claims, namely a surface layer made from glass fiber and polyamide fibers and a modified polyphenylene ether based resin foam sheet. Therefore, it is the examiner's position that the expression  $Tg-65^{\circ}C \leq Tm \geq Tg+40^{\circ}C$  would be inherently present.

- 12. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over WO 02/22723. Naito does not specifically disclose the ratio of the total opening area of the perforations to the surface of the foam sheet. However, since the ratio is recognized as a result-effective variable, differences in the ratio will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such is critical or provide unexpected results. Therefore, absent unexpected results, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the ratio of the total opening area of the perforations to the surface of the foam sheet in the range instantly motivated by the desire to provide the foam having higher open cell content and excellent compressive strength. This is in line with *In re Aller*, 105 USPQ 233 which holds discovering the optimum or workable ranges involves only routine skill in the art.
- 13. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over as applied to WO 02/22723 as applied to claim 1 above, further in view of Joppen et al (US 6,103,163). Naito does not specifically disclose the opening end area of the perforations. Joppen, however, teaches the foam being perforated by means of needles with a diameter about 1mm to 2mm (column 7, lines 55-60). Likewise, the perforations are created with the opening end area ranging from 0.8 to 3.14 mm². Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to form the perforations with the opening end area in the range as taught by Joppen motivated by the desire to provide the foam having higher open cell content and excellent compressive strength.

Application/Control Number: 10/566,970

Art Unit: 1771

#### Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 2004/0229030 to Joseph Owensby discloses a foamed sheet being predominantly open cell on one side and predominantly closed cell on the opposite side.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai Vo whose telephone number is (571) 272-1485. The examiner can normally be reached on Monday through Thursday, from 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HAIVO PRIMARY EXAMINER

Page 9